



***CATALOGO DE PRODUCTOS Y
ACCESORIOS PARA DISPENSADO***

50ml AB Empty Cartridge



50ml 1:1(A)



50ml 2:1(A)



50ml 1:1 Dental



50ml 1:1(B)



50ml 4:1(B)



50ml 10:1 PBT



50ml 1:1 (Old-type)



50ml 2:1 (Old-type)

AB Empty Cartridge



50ml 2:1(B)



30ml 1:1 syringe



24ml 1:1 syringe




75ml 10:1 PBT



1:1 plunger



2:1 Plunger



10:1 Plunger



30cc Plunger

AB Empty Cartridges (DC series)



DC200-11



DC400-11



DC400-21



DC600-11

AB Empty Cartridges (DF series)



DF200-11



DF400-11



DF250-101



DF490-101

AB Dispensing Guns



55cc 30cc 10:1 4:1 2:1 1:1

Type No.	Material	Matching Cartridge
DG50-1-1 Dispensing Gun	Nylon	50ml 1:1 AB Cartridge
DG50-2-1 Dispensing Gun	Nylon	50ml 2:1 AB Cartridge
DG50-4-1 Dispensing Gun	Nylon	50ml 4:1 AB Cartridge
DG50-10-1 Dispensing Gun	Nylon	50ml 10:1 AB Cartridge
DG30 Dispensing Gun	Nylon	30cc Syringe Barrel
DG55 Dispensing Gun	Nylon	30/55cc Syringe Barrel



200ml Series DG200-11/21



200ml Series IDG200-11



400ml Series DG400-11/21



400ml Series DG400-11 (Blue)



10:1 Series IDG250-101
IDG490-101




400ml Pneumatic PDG400-11

Static Mixer (MA Series)




Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Outlet ID (mm)	Total Length (mm)
A1	MA3-8L	8	3	5	7	1	38
A2	MA3-8S	8	3	4	10	1	33
A3	MA3-17	17	3	4.6	10	1	62
A4	MA5.4-17	17	5.4	7.6	10	1.5	106
A5	MA6.3-21S	21	6.3	8.7	10	1.5	153
A6	MA6.3-21L	21	6.3	8.7	10	1.5	153

Static Mixer (MB Series)



Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Oultet ID (mm)	Total Length (mm)
B1	MB06-16	16	5.3	7.6	10	1.5	83
B2	MB06-24	24	5.3	7.6	10	1.5	115
B3	MB06-16R	16	5.3	7.6	17	1.5	96
B4	MB06-24R (MB5.3-24R)	24	5.3	7.6	17	1.5	127
B5	MB06-24S (MB5.3-24S)	24	5.3	7.6	22	1.5	141
B6	MB08-24R	24	8.7	11.6	17	3.5	150
B7	MB08-24S	24	8.7	11.6	22	3.5	161
B8	MB08-32R	32	8.7	11.6	17	3.5	186
B9	MB08-20T	24	8.7	11.6	17	5	142
B10	MB7.5-24	24	7.5	10	17	3.5	130

Static Mixer (MC/MS Series)




Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Outlet ID (mm)	Total Length (mm)
C1	MC05-18	18	5	8	17	1	122
C2	MC05-24	24	5	8	17	1	150
C3	MS05-24	24	5	8	17	1	150
C4	ME05-32	32	5	8	17	1	188
C5	MC05-32	32	5	8	17	1	188
C6	MS05-32	32	5	8	17	1	188
C7	ME05-32	32	5	8	17	1	188

Static Mixer (MC/MS Series)








Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Outlet ID (mm)	Total Length (mm)
C8	MC06-18S	18	6	10	17	1.5	150
C9	MC06-24L	24	6	9.5	17	2	188
C10	MC06-32L	32	6	9.5	17	2	240
C11	MC06-32	32	6	9.5	17	2	240
C12	MC06-32S	32	6	10	17	2	235
C13	MC08-18	18	8	12	17	2	177
C14	MC08-24	24	8	12	17	2	224
C15	MS08-32	32	8	12	17	2	290
C16	MC08-32	32	8	12	17	2	290

Static Mixer (MC/MS Series)



Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Outlet ID (mm)	Total Length (mm)
C17	MC10-12	12	10	14	17	3	157
C18	MC10-18	18	10	14	17	3	215
C19	MS10-24	24	10	14	17	3	275
C20	MC10-24	24	10	14	17	3	275
C21	MC10-32	32	10	14	17	3	355

Static Mixer (MC/MS Series)

	Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Oultet ID (mm)	Total Length (mm)
	C22	MC13-18	18	13	17	17	4	222
	C23	MS13-18	18	13	17	17	4	222
	C24	MC13-24	24	13	17	17	4	295
	C25	MS13-24	24	13	17	17	4	295
	C26	MS13-32	32	13	17	17	4	377
	C27	MS13-36	36	13	17	17	4	421
	C28	MC9.3-24	24	9.3	13	17	3	231
	C29	MC9.3-18	18	9.3	13	17	3	185

C22

C23


C24

C25

C26

C27

TAH Static Mixer




Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Oultet ID (mm)	Total Length (mm)
C28	MC9.3-24	24	9.3	13	17	3	231
C29	MC9.3-18	18	9.3	13	17	3	185
C30	MC06-48L	48	6.3	9.43	17	2.1	309.5
C31	MC04-16L	16	4.8	7.47	17	1.74	99
C32	MC04-32L	32	4.8	7.47	17	1.74	164.8
C33	MC04-24L	24	4.8	7.47	17	1.74	131
C34	MC04-32LL	32	4.8	7.47	17	1.74	164.8
C35	MC9-12	12	9.3	13	17	3.1	127.2
C36	MC04-24LL	24	4.8	7.47	17	1.74	131
C37	MC06-16L	16	6.3	9.43	17	2.1	138.7
C38	MC9.3-30	30	9.3	13	17	3	283
C39	MC9.3-40	40	9.3	13	17	3	260
C40	MC04-48L	48	4.8	7.47	17	1.74	228.4
C41	MC04-48LL	48	4.8	7.47	17	1.74	228.4
C42	MC20-23	23	20	24.4	17	7	433
C43	MC20-32	32	20	24.4	17	7	620

Static Mixer (MC/MS Series)




Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Outlet ID (mm)	Total Length (mm)
C44	MC10-24S	24	10	13.26	17	2.55	298
C45	MS10-24J	24	10	13.38	17	2.1	282
C46	MC10-24T	24	10	13.33	17	2.75	281
C47	MC10-18L	18	10	13.63	17	2.55	241
C48	MC10-18T	18	10	13.76	17	2.88	225
C49	MC10-18J	18	10	13.38	17	2.1	225

Static Mixer (ME Series)




Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID(mm)	Oulet ID (mm)	Total Length (mm)
E1	ME3.2-16L(10:1)	16	3.2	4.8	15	2	73
E2	ME3.2-16S(1:1)	16	3.2	4.8	15	1	77
E3	ME3.2-16S(10:1)	16	3.2	4.8	15	1	77
E4	ME5.4-16S(1:1)	16	5.4	7.5	15	1.5	112
E5	ME5.4-16S(10:1)	16	5.4	7.5	15	1.5	112
E6	ME05-16S(1:1)	16	5.3	7	15	1.5	90
E7	ME05-16S(10:1)	16	5.3	7	15	1.5	90
E8	ME05-24 (1:1)	24	5.3	7	15	1.5	122.5
E9	ME05-24 (10:1)	24	5.3	7	15	1.5	122.5

Static Mixer (MFQ Series)




Series No.	Type No.	Element No.	Inner Dia. (mm)	Ratio	Outlet ID (mm)	Total Length (mm)
F1	MFQ7.5-24(1:1)	24	7.5	1:1	1.5	137
F2	MFQX7.5-24(10:1)	24	7.5	10:1	1.5	137
F3	MFQ08-24(1:1)	24	8.7	1:1	1.5	157
F4	MFQX08-24(10:1)	24	8.7	10:1	1.5	157
F5	MFQ08-24T(1:1)	24	8.7	1:1	5	157
F6	MFQX08-24T(10:1)	24	8.7	10:1	5	157
F7	MFQ10-24(1:1)	24	10.7	1:1	1.5	181
F8	MFQX10-24(10:1)	24	10.7	10:1	1.5	181

Static Mixer (MFH Series)



Series No.	Type No.	Element No.	Inner Dia. (mm)	Ratio	Oulet ID (mm)	Total Length (mm)
F9	MFH06-18(1:1)	18	6	1:1	1.5	157
F10	MFHX06-18(10:1)	18	6	10:1	1.5	157
F11	MFH08-18(1:1)	18	8	1:1	1.5	182
F12	MFHX08-18 (10:1)	18	8	10:1	1.5	182
F13	MFH10-18T(1:1)	18	10	1:1	1.5	220
F14	MFHX10-18T(10:1)	18	10	10:1	1.5	220
F15	MFH10-24T(1:1)	24	10	1:1	1.5	280
F16	MFHX10-24T(10:1)	24	10	10:1	1.5	280
F17	MFH13-18T(1:1)	18	13	1:1	1.5	235
F18	MFHX13-18T(1:1)	18	13	10:1	1.5	235

Dynamic Mixer (MD Series)



Series No.	Type No.	Element No.	Inner Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Connector OD (mm)	Oulte ID (mm)	Total Length (mm)
D1	RS9-8	8	9	12.5	17	19.5	3	70
D2	RS9-16	16	9	13	17	19.5	3	102
D3	RS12-16	16	12	16	17	19.5	3	128
D4	RM12-16	16	12	16	22.5	25.5	5	128
D5	RM12-16	16	12	16	22.5	25.5	5	128
D6	RM12-26	26	12	16	22.5	25.5	5	180
D7	RM12-26	26	12	16	22.5	25.5	5	180
D8	RM17-16	16	17	21.5	22.5	25.5	5	151
D9	RM17-26	26	17	21.5	22.5	25.5	5	216
D10	MR10-12	12	10	14	17	19.5	3	156
D11	MR13-12	12	13	17	17	19.5	4	198

GSM Static Mixer (G Series)








Series No.	Type No.	Element No.	Element Dia. (mm)	Outer Dia. (mm)	Connector ID (mm)	Oulte ID (mm)	Total Length (mm)
G1	GSM9-12	12	9.4	12.7	17	3	145
G2	GSM9-13	13	9.4	12.7	17	3	157
G3	GSM9-14	14	9.4	12.7	17	3	163
G4	GSM9-16	16	9.4	12.7	17	3	185
G5	GSM9-20	20	9.4	12.7	17	3	217






Single Dispensing Valves

Photo					
Item No.	SMS-S10 Manual single liquid valve	SMS-S20 Manual single liquid valve	SMS-D10 Plunger type dispensing valve	SMS-30 Plunger type dispensing valve	SMS-S221 Double-action thimble/suction single liquid valve
Feed Pressure	<10kg	<10kg	<10kg	<10kg	<10kg
Max Caliber	8X6mm pipe	8X6mm pipe	1/8" npt(f)	1/8" npt(f)	1/8" npt(f)
Min Vomiting volume	0.01ml	0.01ml	0.01ml	0.001ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-1000000cps	1-1000000cps	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min







Single Dispensing Valves

Photo					
Item No.	SMS-D25 Thimble single liquid valve	SMS-2626 Lift-back suction single liquid valve	SMS-3131 Lift-back suction single liquid valve	SMS-2121 Double action thimble single liquid valve	SMS-405 Single/Double action thimble type single liquid glue valve
Feed Pressure	<10kg	<10kg	<10kg	<10kg	<10kg
Max Caliber	1/8"npt(f)	1/8"npt(f)	1/4"npt(f)	1/8"npt(f)	1/8"npt(f)
Min Vomiting volume	0.01ml	0.01ml	0.01ml	0.001ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min

Single Dispensing Valves

Photo					
Item No.	SMS-200 Precision thimble type single liquid valve	SMS-300 Precision suck back single liquid valve	SMS-600 Large flow precision thimble type single liquid valve	SMS-36 Large flow thimble type dispensing valve	SMS-G30 Large flow cylinder suction type dispensing valve
Feed Pressure	<10kg	<10kg	<20kg	<20kg	<10kg
Max Caliber	1/8"npt(f)	1/8"npt(f)	1/4"npt(f)	1/4"npt(f)	1/4"npt(f)
Min Vomiting volume	0.01ml	0.01ml	0.01ml	0.001ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-1000000cps <800/min	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min	1-3000000cps <600/min






Single Dispensing Valves

Photo						
Item No.	SMS-3510 Adjustable spray type precision dispensing valve	SMS-3610 High frequency adjustable spray valve (micrometer)	SMS-3810 High frequency spray /fan spray valve (micrometer)	SMS-3811 Precision liquid atomization spray dispensing valve (micrometer)	SMS-3910 High frequency spray valve (micrometer)	SMS-65A High frequency adjustable spray valve (micrometer)
Feed Pressure	<10kg	<10kg	<20kg	<10kg	<10kg	<10kg
Inlet size/Max Caliber	1/8" npt(f)/0.8-2.0	1/8" npt(f)/0.8-2.0	1/8" npt(f)/0.8-2.0	1/8" npt(f)	1/8" npt(f)/0.8-2.0	1/8" npt(f)/0.8-2.0
Min Vomiting volume	0.01ml	0.01ml	0.01ml	0.01ml	0.01ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-5000000cps <600min	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <300/min	1-1000000cps <600/min	1-1000000cps <400/min






Single Dispensing Valves

Photo		
Item No.	SMS-70 Anaerobic dispensing valve	SMS-50 Large flow cylinder suction type dispensing valve
Feed Pressure	<5kg	<10kg
Inlet size/Max Caliber	1/8" npt(f)	1/4" npt(f)
Min Vomiting volume	0.01ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-1000000cps <600min	1-3000000cps <600/min





AB Glue Dispensing Valves

Photo					
Item No.	SMS-D229 Thimble type/lift and suction type ABglue valve	SMS-D20 Manual ABglue valve	SMS-716A Double action thimble type precision ABglue valve	SMS-32T Double action isolation and suction ABglue valve	SMS-L02 Double action suction type ABglue valve
Feed Pressure	<10kg	<10kg	<10kg	<10kg	<10kg
Max Caliber	1/8"npt(f)	8X6mm pipe	1/8" npt(f)	1/8"npt(f)	1/8"npt(f)
Min Vomiting volume	0.01ml	0.01ml	0.01ml	0.01ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Operating Viscosity/Speed	1-3000000cps <600min	1-3000000cps <600min	1-1000000cps <600min	1-1000000cps <600min	1-1000000cps <600min

AB Glue Dispensing Valves

Photo					
Item No.	SMS-GD3242 Double-action cylinder suction type large flow AB glue valve	SMS-3242B Single/Double-action suction AB glue valve	SMS-116 Double- action dual- cylinder suction dynamic dispensing valve	SMS-118 Double- action double- cylinder suction large flow dynamic dispensing valve	SMS-119 Double- action dual-cylinder suction dynamic dispensing valve
Feed Pressure	<10kg	<10kg	<10kg	<10kg	<10kg
Max Caliber	1/4"npt(f)	1/8"npt(f)	1/8"npt(f)	1/4"npt(f)	1/4"npt(f)
Min Vomiting volume	0.1ml	0.1ml	0.5ml	0.1ml	0.01ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Ratio	1:1/2:1/3:1	1:1/2:1/3:1	1:1/2:1/3:1	1:1/2:1/3:1/4:1/5:1	1:1/2:1/3:1/4:1/5:1
Operating Viscosity/Speed	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <300/min	1-1000000cps <600/min	1-1000000cps <600/min

AB Glue Dispensing Valves

Photo				
Item No.	SMS-119A ABglue dynamic electric handheld mixing dispensing valve	SMS-3242D ABglue Single cylinder back suction type large flow adjustable dispensing valve	SMS-117 AB glue dynamic electric lift-back suction type mixing dispensing valve	SMS-732 ABglue suction type dispensing valve
Feed Pressure	<10kg	<10kg	<10kg	<10kg
Max Caliber	1/8" npt(f)	1/8" npt(f)	1/8" npt(f)	1/8" npt(f)
Min Vomiting volume	0.01ml	0.01ml	0.1ml	0.1ml
Air Source	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm	4-7kgf/cm
Ratio	1:1/2:1/3:1	1:1/2:1/3:1	1:1/2:1/3:1	1:1/2:1/3:1
Operating Viscosity/Speed	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min	1-1000000cps <600/min

Standard Dimensions of Pressure Tank

Stainless Steel Pressure Tank



Carbon Steel Pressure Tank



Volume	Weight (Kg)	OD (mm)	ID (mm)	Outer Depth (mm)	Inner Depth (mm)	Tank Thickness (mm)	Lid Thickness (mm)	Max Pressure (bar)	Material
1L	3.5	108	102	140	125	3	12	7	Stainless steel/Carbon steel
2L	4.5	133	125	180	165	4	12	8	Stainless steel/Carbon steel
3L	6	133	125	260	245	4	12	8	Stainless steel/Carbon steel
4L	7.5	159	151	250	230	4	12	8	Stainless steel/Carbon steel
5L	8	159	152	300	285	4	12	8	Stainless steel/Carbon steel
8L	14	219	210	280	265	4.5	14	8	Stainless steel/Carbon steel
10L	15	219	210	300	290	4.5	14	8	Stainless steel/Carbon steel
15L	17	219	210	450	435	4.5	14	8	Stainless steel/Carbon steel
20L	30	273	263	400	385	5	14	8	Stainless steel/Carbon steel
25L	33	273	262	490	470	5.5	14	8	Stainless steel/Carbon steel
30L	43	325	313	420	400	5.5	14	8	Stainless steel/Carbon steel
40L	46	325	313	540	520	5.5	14	8	Stainless steel/Carbon steel
50L	55	376	365	510	490	5.5	14	8	Stainless steel/Carbon steel
60L	60	376	365	600	580	6	14	8	Stainless steel/Carbon steel
80L	75	425	410	620	600	8	14	8	Stainless steel/Carbon steel
100L	85	425	410	790	770	8	14	8	Stainless steel/Carbon steel

Standard Dimensions of Pressure Tank

Electric Mixing Pressure Tank



Pneumatic Mixing Pressure Tank



Volume	Force Source	OD (mm)	ID (mm)	Outer Depth (mm)	Inner Depth (mm)	Tank Thickness (mm)	Lid Thickness (mm)	Max Pressure (bar)	Material
4L	Electric/Pneumatic	159	151	250	230	4	12	8	Stainless steel
5L	Electric/Pneumatic	159	152	300	285	4	12	8	Stainless steel
8L	Electric/Pneumatic	219	210	280	265	4.5	14	8	Stainless steel
10L	Electric/Pneumatic	219	210	300	290	4.5	14	8	Stainless steel
15L	Electric/Pneumatic	219	210	450	435	4.5	14	8	Stainless steel
20L	Electric/Pneumatic	273	263	400	385	5	14	8	Stainless steel
25L	Electric/Pneumatic	273	262	490	470	5.5	14	8	Stainless steel
30L	Electric/Pneumatic	325	313	420	400	5.5	14	8	Stainless steel
40L	Electric/Pneumatic	325	313	540	520	5.5	14	8	Stainless steel
50L	Electric/Pneumatic	376	365	510	490	5.5	14	8	Stainless steel
60L	Electric/Pneumatic	376	365	600	580	6	14	8	Stainless steel
80L	Electric/Pneumatic	425	410	620	600	8	14	8	Stainless steel
100L	Electric/Pneumatic	425	410	790	770	8	14	8	Stainless steel

Standard Dimensions of Pressure Tank

Pneumatic Paint Pressure Tank



Manual Mixing Pressure Tank




Spare Parts of Dispensing Machine



Dispensing valve
metal adaptor



Adaptor for
Dynamic Mixer



Adaptor for Static
Mixer



50ml AB Air Gun



Adaptor for US
Syringe



Adaptor for
Japanese Syringe




Accessories for
Syringe



300ml Silicone
Sleeve

US Syringe Barrel (small volume)



Type No.	Color	OD (mm)	ID (mm)	Total Length (mm)
3cc	Transparent/Black/Amber	11.4	9.5	73.8
5cc	Transparent/Black/Amber	14.5	12.6	69.3
10cc	Transparent/Black/Amber	18.3	15.6	91
30cc	Transparent/Black/Amber	25.2	22.5	118
55cc	Transparent/Black/Amber	25.2	22.5	118

Japanese Syringe Barrel (small volume)



Type No.	Color	OD (mm)	ID (mm)	Total Length (mm)
5cc	Transparent/ Black/Amber/Green	15.3	13.04	77
10cc	Transparent/ Black/Amber/Green	17.8	15.27	108
30cc	Transparent/ Black/Amber/Green	26.2	22.9	120
50cc	Transparent/ Black/Amber/Green	26.2	22.9	160

Syringe Barrel (small outlet)



Type No.	Color	OD (mm)	ID (mm)	Total Length (mm)	Oulet ID (mm)	Outlet Type
100cc	Clear	37	32	225	2.5	Screw mouth
200cc	Clear	45	40	245	2.5	Screw mouth
300cc	Clear	55	50	210	2.5	Screw mouth
500cc	Clear	55	50	290	2.5	Screw mouth

Syringe Barrel (big outlet)



Type No.	Color	OD (mm)	ID (mm)	Total Length (mm)	Outlet ID (mm)	Outlet Type
100cc	Clear	37	32	225	8.5 (1/8")	Internal Thread
200cc	Clear	45	40	245	8.5 (1/8")	Internal Thread
300cc	Clear	55	50	210	11.8 (1/4")	Internal Thread
500cc	Clear	55	50	290	11.8 (1/4")	Internal Thread
960cc	Amber	67.89	65.16	349.84	11.8 (1/4")	Internal Thread
1200cc	Clear	87	83	410	11.8 (1/4")	Internal Thread

Syringe Barrel with Scale



Type No.	Outlet Type	Plunger Color	Material	Package
1ml	Straight /Screw	Blue/White	PP	10000pcs/ctn
2ml/3ml	Screw	Transparant	PP	5000pcs/ctn
5ml	Screw	Transparant	PP	4000pcs/ctn
10ml/20ml	Screw	Transparant	PP	2500pcs/ctn
30ml	Screw	Transparant	PP	1000pcs/ctn
50/60ml	Screw	Transparant	PP	500pcs/ctn
100ml	Straight /Screw	Transparant	PP	125pcs/ctn
150ml	Straight	Transparant	PP	200pcs/ctn
200ml	Straight /Screw	Transparant	PP	100pcs/ctn
250ml/300ml/350 ml	Straight	Transparant	PP	100pcs/ctn
400ml/450ml/500 ml	Straight	Transparant	PP	60pcs/ctn

TT Plastic Dispensing Tips



Type No.	Color	ID (mm)	OD (mm)	Package
10G	Light Green	3	3.8	1000pcs/bag
11G	Light Orange	2.5	3.2	1000pcs/bag
13G	Light Blue	2	2.7	1000pcs/bag
14G	Olive	1.55	1.84	1000pcs/bag
15G	Amber	1.36	1.7	1000pcs/bag
16G	Grey	1.2	1.64	1000pcs/bag
18G	Green	0.84	1.27	1000pcs/bag
20G	Pink	0.6	0.91	1000pcs/bag
21G	Purple	0.51	0.82	1000pcs/bag
22G	Blue	0.41	0.72	1000pcs/bag
23G	Orange	0.34	0.64	1000pcs/bag
25G	Red	0.26	0.51	1000pcs/bag
27G	Clear/Black	0.21	0.41	1000pcs/bag
30G	Clear	0.16	0.31	1000pcs/bag

TE Plastic Steel Bayonet Dispensing Tip



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
14G	Light Blue	1.7/2	13 (1/2")	30
15G	White	1.5/1.8	13 (1/2")	30
16G	Clear	1.34/1.6	13 (1/2")	30
18G	Pink	1.02/1.28	13 (1/2")	30
19G	Cream	0.8/1.05	13 (1/2")	30
20G	Yellow	0.65/0.9	13 (1/2")	30
21G	Green	0.56/0.81	13 (1/2")	30
22G	Black	0.47/0.71	13 (1/2")	30
23G	Blue	0.39/0.63	13 (1/2")	30
24G	Purple	0.33/0.55	13 (1/2")	30
25G	Orange	0.28/0.51	13 (1/2")	30
26G	Brown	0.25/0.45	13 (1/2")	30
27G	Grey	0.19/0.4	13 (1/2")	30

TE Plastic Dispensing Tips (1/4" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
13G	Special	1.65/2.1	8 (1/4")	25
14G	Oliver	1.55/1.84	8 (1/4")	25
15G	Amber	1.36/1.84	8 (1/4")	25
16G	Grey	1.2/1.64	8 (1/4")	25
18G	Green	0.84/1.27	8 (1/4")	25
19G	Clear	0.7/1.05	8 (1/4")	25
20G	Pink	0.6/0.91	8 (1/4")	25
21G	Purple	0.51/0.82	8 (1/4")	25
22G	Blue	0.41/0.72	8 (1/4")	25
23G	Orange	0.34/0.64	8 (1/4")	25
24G	Deep Orange	0.3/0.56	8 (1/4")	25
25G	Red	0.26/0.51	8 (1/4")	25
26G	Coffe	0.24/0.45	8 (1/4")	25
27G	Clear	0.21/0.41	8 (1/4")	25
30G	Light Purple	0.16/0.31	8 (1/4")	25
32G	Yellow	0.11/0.25	8 (1/4")	25
34G	Blue Snow	0.06/0.25	8 (1/4")	25

TE Plastic Dispensing Tips (1/2" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
13G	Special	1.65/2.1	13 (1/2")	30
14G	Oliver	1.55/1.84	13 (1/2")	30
15G	Amber	1.36/1.84	13 (1/2")	30
16G	Grey	1.2/1.64	13 (1/2")	30
18G	Green	0.84/1.27	13 (1/2")	30
19G	Clear	0.7/1.05	13 (1/2")	30
20G	Pink	0.6/0.91	13 (1/2")	30
21G	Purple	0.51/0.82	13 (1/2")	30
22G	Blue	0.41/0.72	13 (1/2")	30
23G	Orange	0.34/0.64	13 (1/2")	30
24G	Deep Orange	0.3/0.56	13 (1/2")	30
25G	Red	0.26/0.51	13 (1/2")	30
26G	Coffe	0.24/0.45	13 (1/2")	30
27G	Clear	0.21/0.41	13 (1/2")	30
30G	Light Purple	0.16/0.31	13 (1/2")	30
32G	Yellow	0.11/0.25	13 (1/2")	30
34G	Blue Snow	0.06/0.25	13 (1/2")	30

TE Plastic Dispensing Tips (1" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
13G	Special	1.65/2.1	25(1")	42
14G	Olive	1.55/1.84	25(1")	42
15G	Amber	1.36/1.7	25(1")	42
16G	Grey	1.2/1.64	25(1")	42
17G	Light Cooper	1.12/1.48	25(1")	42
18G	Green	0.84/1.27	25(1")	42
19G	Clear	0.7/1.05	25(1")	42
20G	Pink	0.6/0.91	25(1")	42
21G	Purple	0.51/0.82	25(1")	42
22G	Blue	0.41/0.72	25(1")	42
23G	Orange	0.34/0.64	25(1")	42
24G	Deep Orange	0.3/0.56	25(1")	42
25G	Red	0.26/0.51	25(1")	42
27G	Clear	0.21/0.41	25(1")	42

TE Plastic Dispensing Tips (1-1/2" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
13G	Special	1.65/2.1	38(1-1/2")	55
14G	Olive	1.55/1.84	38(1-1/2")	55
15G	Amber	1.36/1.7	38(1-1/2")	55
16G	Grey	1.2/1.64	38(1-1/2")	55
17G	Light Cooper	1.12/1.48	38(1-1/2")	55
18G	Green	0.84/1.27	38(1-1/2")	55
19G	Clear	0.7/1.05	38(1-1/2")	55
20G	Pink	0.6/0.91	38(1-1/2")	55
21G	Purple	0.51/0.82	38(1-1/2")	55
22G	Blue	0.41/0.72	38(1-1/2")	55
23G	Orange	0.34/0.64	38(1-1/2")	55
24G	Deep Orange	0.3/0.56	38(1-1/2")	55
25G	Red	0.26/0.51	38(1-1/2")	55

TE Screw 45° Angled Needles (1/2" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
14G	Olive	1.55/1.82	13(1/2")	30
15G	Amber	1.35/1.82	13(1/2")	30
16G	Grey	1.21/1.64	13(1/2")	30
17G	Khaki	1.13/1.49	13(1/2")	30
18G	Green	0.85/1.27	13(1/2")	30
19G	Black	0.72/1.03	13(1/2")	30
20G	Pink	0.6/0.91	13(1/2")	30
21G	Purple	0.51/0.81	13(1/2")	30
22G	Blue	0.41/0.71	13(1/2")	30
23G	Orange	0.35/0.62	13(1/2")	30
24G	Red Wine	0.34/0.56	13(1/2")	30
25G	Red	0.25/0.51	13(1/2")	30
26G	Light Brown	0.24/0.45	13(1/2")	30
27G	Clear	0.21/0.41	13(1/2")	30
30G	Light Purple	0.15/0.31	13(1/2")	30
32G	Yellow	0.1/0.25	13(1/2")	30

TE Screw 45° Angled Needles (1" length)



Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
14G	Olive	1.55/1.82	25(1")	42
15G	Amber	1.35/1.82	25(1")	42
16G	Grey	1.21/1.64	25(1")	42
17G	Khaki	1.13/1.49	25(1")	42
18G	Green	0.85/1.27	25(1")	42
19G	Black	0.72/1.03	25(1")	42
20G	Pink	0.6/0.91	25(1")	42
21G	Purple	0.51/0.81	25(1")	42
22G	Blue	0.41/0.71	25(1")	42
23G	Orange	0.35/0.62	25(1")	42
24G	Red Wine	0.34/0.56	25(1")	42
25G	Red	0.25/0.51	25(1")	42
26G	Light Brown	0.24/0.45	25(1")	42
27G	Clear	0.21/0.41	25(1")	42
30G	Light Purple	0.15/0.31	25(1")	42
32G	Yellow	0.1/0.25	25(1")	42

TE Screw 45° Angled Needles (1-1/2" length)




Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
14G	Olive	1.55/1.82	38(1-1/2")	55
15G	Amber	1.35/1.82	38(1-1/2")	55
16G	Grey	1.21/1.64	38(1-1/2")	55
17G	Khaki	1.13/1.49	38(1-1/2")	55
18G	Green	0.85/1.27	38(1-1/2")	55
19G	Black	0.72/1.03	38(1-1/2")	55
20G	Pink	0.6/0.91	38(1-1/2")	55
21G	Purple	0.51/0.81	38(1-1/2")	55
22G	Blue	0.41/0.71	38(1-1/2")	55
23G	Orange	0.35/0.62	38(1-1/2")	55
24G	Red Wine	0.34/0.56	38(1-1/2")	55
25G	Red	0.25/0.51	38(1-1/2")	55
26G	Light Brown	0.24/0.45	38(1-1/2")	55
27G	Clear	0.21/0.41	38(1-1/2")	55
30G	Light Purple	0.15/0.31	38(1-1/2")	55
32G	Yellow	0.1/0.25	38(1-1/2")	55

PP Plastic Dispensing Tip




Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
14G	Olive	1.31/1.78	13 (1/2")	30
15G	Amber	1.15/1.78	13 (1/2")	30
18G	Green	0.8/1.25	13 (1/2")	30
20G	Pink	0.6/0.9	13 (1/2")	30
22G	Blue	0.41/0.7	13 (1/2")	30
25G	Red	0.31/0.6	13 (1/2")	30
14G	Olive	1.31/1.78	38(1-1/2")	55
15G	Amber	1.15/1.78	38(1-1/2")	55
18G	Green	0.8/1.25	38(1-1/2")	55
20G	Pink	0.6/0.9	38(1-1/2")	55
22G	Blue	0.41/0.7	38(1-1/2")	55
25G	Red	0.31/0.6	38(1-1/2")	55

TF Teflon Screw Dispensing Tip




Type No.	Color	ID/OD (mm)	Needle Length (mm)	Total Length (mm)
20G	Grey	0.6/0.91	13 (1/2")	32
25G	Pink	0.26/0.51	13 (1/2")	32
27G	Red	0.21/0.41	13 (1/2")	32
20G	Grey	0.6/0.91	25 (1")	46
25G	Pink	0.26/0.51	25 (1")	46
27G	Red	0.21/0.41	25 (1")	46

SS304 Dispensing Tips (1/2" length)



Type No.	ID (mm)	OD (mm)	Needle Length (mm)	Total Length (mm)	Package
8G	3.3	4	13	25	12pcs/box
10G	2.95	3.45	13	25	12pcs/box
11G	2.54	3	13	25	12pcs/box
12G	2.2	2.8	13	25	12pcs/box
13G	1.9	2.4	13	25	12pcs/box
14G	1.6	2.1	13	25	12pcs/box
15G	1.4	1.8	13	25	12pcs/box
16G	1.26	1.66	13	25	12pcs/box
17G	1.07	1.47	13	25	12pcs/box
18G	0.86	1.26	13	25	12pcs/box
19G	0.67	1.07	13	25	12pcs/box
20G	0.6	0.9	13	25	12pcs/box
21G	0.5	0.8	13	25	12pcs/box
22G	0.4	0.7	13	25	12pcs/box
23G	0.33	0.63	13	25	12pcs/box
24G	0.3	0.55	13	25	12pcs/box
25G	0.26	0.51	13	25	12pcs/box
26G	0.24	0.45	13	25	12pcs/box
27G	0.21	0.41	13	25	12pcs/box
28G	0.17	0.35	13	25	12pcs/box
30G	0.16	0.31	13	25	12pcs/box

SS304 Dispensing Tips (1" length)



Type No.	ID (mm)	OD (mm)	Needle Length (mm)	Total Length (mm)	Package
8G	3.3	4	25	37	12pcs/box
10G	2.95	3.45	25	37	12pcs/box
11G	2.54	3	25	37	12pcs/box
12G	2.2	2.8	25	37	12pcs/box
13G	1.9	2.4	25	37	12pcs/box
14G	1.6	2.1	25	37	12pcs/box
15G	1.4	1.8	25	37	12pcs/box
16G	1.26	1.66	25	37	12pcs/box
17G	1.07	1.47	25	37	12pcs/box
18G	0.86	1.26	25	37	12pcs/box
19G	0.67	1.07	25	37	12pcs/box
20G	0.6	0.9	25	37	12pcs/box
21G	0.5	0.8	25	37	12pcs/box
22G	0.4	0.7	25	37	12pcs/box
23G	0.33	0.63	25	37	12pcs/box
24G	0.3	0.55	25	37	12pcs/box
25G	0.26	0.51	25	37	12pcs/box
26G	0.24	0.45	25	37	12pcs/box
27G	0.21	0.41	25	37	12pcs/box
28G	0.17	0.35	25	37	12pcs/box
30G	0.16	0.31	25	37	12pcs/box

SS304 Dispensing Tips (1-1/2" length)



Type No.	ID (mm)	OD (mm)	Needle Length (mm)	Total Length (mm)	Package
8G	3.3	4	38	55	12pcs/box
10G	2.95	3.45	38	55	12pcs/box
11G	2.54	3	38	55	12pcs/box
12G	2.2	2.8	38	55	12pcs/box
13G	1.9	2.4	38	55	12pcs/box
14G	1.6	2.1	38	55	12pcs/box
15G	1.4	1.8	38	55	12pcs/box
16G	1.26	1.66	38	55	12pcs/box
17G	1.07	1.47	38	55	12pcs/box
18G	0.86	1.26	38	55	12pcs/box
19G	0.67	1.07	38	55	12pcs/box
20G	0.6	0.9	38	55	12pcs/box
21G	0.5	0.8	38	55	12pcs/box
22G	0.4	0.7	38	55	12pcs/box
23G	0.33	0.63	38	55	12pcs/box
24G	0.3	0.55	38	55	12pcs/box
25G	0.26	0.51	38	55	12pcs/box
26G	0.24	0.45	38	55	12pcs/box
27G	0.21	0.41	38	55	12pcs/box
28G	0.17	0.35	38	55	12pcs/box
30G	0.16	0.31	38	55	12pcs/box

Información de contacto:

REPRESENTANTE DE VENTAS

Manuel Damian

Correo: pvsolutions.ventas1@gmail.com

Oficina: 442 243 1730

Cel: 442 679 3591 

